ELSEVIER

European Journal of Pharmacology 330 (1997) 269–270

ejp

Author index

Abe, I., see Ohya, Y. (330) 93
Adachi, N., see Ohya, Y. (330) 93
Adams Jr., J.D., see Mukherjee, S.K. (330) 27
Allain, N., see Berdyshev, E.V. (330) 231
Anger, J.-P., see Berdyshev, E.V. (330) 231

Bartolini, A., see Galeotti, N. (330) 15
Berdyshev, E.V., Boichot, E., Germain, N., Allain, N., Anger, J.-P. and Lagente, V.
Influence of fatty acid ethanolamides and Δ^9-tetrahydrocannabinol on cytokine and arachidonate release by mononuclear cells (330) 231
Bittencourt, A.L. and Takahashi, R.N.
Mazindol and lidocaine are antinociceptives in the mouse formalin model: involvement of dopamine receptor (330) 109
Böhm, M., see Rosenkranz, S. (330) 35
Boichot, E., see Berdyshev, E.V. (330) 231
Burkard, S., see Walland, A. (330) 213
Burrell, J.H. and Lumbers, E.R.
Angiotensin receptor subtypes in the uterine artery during ovine pregnancy (330) 257

Caddy, K.W.T. and Vožeh, F.
The effect of 3-acetylpyridine on inferior olivary neuron degeneration in Lurcher mutant and wild-type mice (330) 139
Capaccioli, S., see Galeotti, N. (330) 15
Capasso, A. and Sorrentino, L.
Arachidonic acid and its metabolites are involved in the expression of morphine dependence in guinea-pig isolated ileum (330) 199
Caron, N., see Kramp, R.A. (330) 165
Collu, M., see D'Aquila, P.S. (330) 11
Cremers, B., see Rosenkranz, S. (330) 35

Daniele, E., Villani, G. and Lograno, M.D.
Effects of phorbol ester on carbachol-induced contraction in bovine ciliary muscle: possible involvement of protein kinase C (330) 247
D'Aquila, P.S., Collu, M., Gessa, G.L. and Serra, G.
Dizocilpine prevents the enhanced locomotor response to quinpirole induced by repeated electroconvulsive shock (330) 11
Deguchi, Y., see Taniguchi, Y. (330) 221
Deka, D.K., Raviprakash, V. and Mishra, S.K.
K_{ATP} channels do not mediate vasodilation by 3-morpholino-sydnonimine in goat coronary artery (330) 157
Diéguez, G., Fernández, N., García, J.L., García-Villalón, A.L., Monge, L. and Gómez, B.
Role of nitric oxide in the effects of hypoglycemia on the cerebral circulation in awake goats (330) 185
Duncan, C.J., see Harding, R.J. (330) 47
Dupouy, V. and Zajac, J.-M.
Neuropeptide FF receptors control morphine-induced analgesia in the parafascicular nucleus and the dorsal raphe nucleus (330) 129

Fernández, N., see Diéguez, G. (330) 185
Flesch, M., see Rosenkranz, S. (330) 35
Fujimoto, S. and Itoh, T.
Role of nitric oxide and nitric oxide-independent relaxing factor in contraction and relaxation of rabbit blood vessels (330) 177
Fujishima, M., see Ohya, Y. (330) 93
Furukawa, K., see Taniguchi, Y. (330) 221

Galeotti, N., Ghelardini, C., Capaccioli, S., Quattrone, A., Nicolin, A. and Bartolini, A.
Blockade of clomipramine and amitriptyline analgesia by an antisense oligonucleotide to mKv1.1, a mouse *Shaker*-like K^+ channel (330) 15
Ganten, D., see Rosenkranz, S. (330) 35
García, J.L., see Diéguez, G. (330) 185
García-Villalón, A.L., see Diéguez, G. (330) 185
Genard, J., see Kramp, R.A. (330) 165
Germain, N., see Berdyshev, E.V. (330) 231
Gessa, G.L., see D'Aquila, P.S. (330) 11
Ghelardini, C., see Galeotti, N. (330) 15
Gómez, B., see Diéguez, G. (330) 185
Gulbis, E., see Kramp, R.A. (330) 165

Haensel, S.M. and Slob, A.K.
Flesinoxan: a prosexual drug for male rats (330) 1
Hammer, R., see Walland, A. (330) 213
Hänze, J., Worgall, S. and Rascher, W.
Monitoring of antisense effects of oligonucleotides targeted to the neuropeptide Y Y_1 receptor gene (330) 87
Harding, R.J. and Duncan, C.J.
Protection against cellular damage in the perfused rat heart by lowered pH (330) 47
Herman, A., see Kramp, R.A. (330) 165
Hidaka, H., see Mori, Y. (330) 195
Hirano-Wakimoto, A., see Ohtani, A. (330) 151
Hoffmann, S., see Rosenkranz, S. (330) 35

Inui, K., see Taniguchi, Y. (330) 221
Ishii, K., see Masumoto, N. (330) 55
Itoh, T., see Fujimoto, S. (330) 177

Karaki, H., see Takizawa, S. (330) 143
Khawaja, A.M., see Perez, A.C. (330) 241
Kimura, I., Okazaki, M. and Nojima, H.
Mutual dependence of calcitonin-gene related peptide and acetylcholine release in neuromuscular preparations (330) 123
Klaidman, L.K., see Mukherjee, S.K. (330) 27
Kozlik-Feldmann, R., see Reithmann, C. (330) 79
Kramp, R.A., Caron, N., Genard, J., Lejeune, C., Gulbis, E. and Herman, A.
Differential effects of sulindac on renal hemodynamics and function in the rat (330) 165
Krause, T., see Rosenkranz, S. (330) 35

Lacerra, C., see Martijena, I.D. (330) 101
Lacour, M., see Tighilet, B. (330) 65
Lagente, V., see Berdyshev, E.V. (330) 231
Lejeune, C., see Kramp, R.A. (330) 165

Lenz, O., see Rosenkranz, S. (330) 35
Lograno, M.D., see Daniele, E. (330) 247
Lumbers, E.R., see Burrell, J.H. (330) 257

Martijena, I.D., Lacerra, C. and Molina, V.A.
Carbamazepine normalizes the altered behavioral and neurochemical response to stress in benzodiazepine-withdrawn rats (330) 101
Martín, M.-L., see Morán, A. (330) 205
Masumoto, N., Nakayama, K., Oyabe, A., Uchino, M., Ishii, K., Obara, K. and Tanabe, Y.
Specific attenuation of the pressure-induced contraction of rat cerebral artery by herbimycin A (330) 55
Mishra, S.K., see Deka, D.K. (330) 157
Molina, V.A., see Martijena, I.D. (330) 101
Monge, L., see Diéguez, G. (330) 185
Morán, A., Velasco, C., Martín, M.-L. and San Román, L.
Renal vasoconstrictor response to 5-hydroxytryptamine in the in situ autoperfused rat kidney: involvement of angiotensin II and the 5-HT_2 receptor activation (330) 205
Mori, Y., Takayasu, M., Suzuki, Y., Shibuya, M., Yoshida, J. and Hidaka, H.
Effects of adrenomedullin on rat cerebral arterioles (330) 195
Mukherjee, S.K., Klaidman, L.K., Yasharel, R. and Adams Jr., J.D.
Increased brain NAD prevents neuronal apoptosis in vivo (330) 27
Murakami, J., see Ohtani, A. (330) 151

Nakayama, K., see Masumoto, N. (330) 55
Netz, H., see Reithmann, C. (330) 79
Nickenig, G., see Rosenkranz, S. (330) 35
Nicolin, A., see Galeotti, N. (330) 15
Noda, K., see Taniguchi, Y. (330) 221
Nojima, H., see Kimura, I. (330) 123

Obara, K., see Masumoto, N. (330) 55
Ohtani, A., Murakami, J. and Hirano-Wakimoto, A.
T-686, a novel inhibitor of plasminogen activator inhibitor-1, inhibits thrombosis without impairment of hemostasis in rats (330) 151
Ohya, Y., Adachi, N., Setoguchi, M., Abe, I. and Fujishima, M.
Effects of CP-060*S* on membrane channels in vascular smooth muscle cells from guinea pig (330) 93
Okazaki, M., see Kimura, I. (330) 123
Oyabe, A., see Masumoto, N. (330) 55
Ozaki, H., see Takizawa, S. (330) 143

Page, C.P., see Perez, A.C. (330) 241
Palluk, R., see Walland, A. (330) 213
Paul, W., see Perez, A.C. (330) 241
Perez, A.C., Khawaja, A.M., Page, C.P. and Paul, W.
Persistence of effects of nitric oxide synthase inhibitors: Comparisons on blood flow and plasma exudation in guinea pig skin (330) 241
Pilz, G., see Reithmann, C. (330) 79

Quattrone, A., see Galeotti, N. (330) 15

Rascher, W., see Hänze, J. (330) 87
Raviprakash, V., see Deka, D.K. (330) 157
Reber, D., see Reithmann, C. (330) 79
Reid, A., see Sawynok, J. (330) 115
Reithmann, C., Reber, D., Kozlik-Feldmann, R., Netz, H., Pilz, G., Welz, A. and Werdan, K.
A post-receptor defect of adenylyl cyclase in severely failing myocardium from children with congenital heart disease (330) 79
Rosenkranz, S., Nickenig, G., Flesch, M., Cremers, B., Schnabel, P., Lenz, O., Krause, T., Ganten, D., Hoffmann, S. and Böhm, M.
Cardiac angiotensin II receptors: studies on functional coupling in Sprague-Dawley rats and TGR(αMHC-hAT_1) transgenic rats (330) 35

San Román, L., see Morán, A. (330) 205
Sawynok, J. and Reid, A.
Peripheral adenosine 5′-triphosphate enhances nociception in the formalin test via activation of a purinergic P_{2X} receptor (330) 115
Schnabel, P., see Rosenkranz, S. (330) 35
Serra, G., see D'Aquila, P.S. (330) 11
Setoguchi, M., see Ohya, Y. (330) 93
Shibuya, M., see Mori, Y. (330) 195
Slob, A.K., see Haensel, S.M. (330) 1
Sorrentino, L., see Capasso, A. (330) 199
Suzuki, Y., see Mori, Y. (330) 195

Takahashi, R.N., see Bittencourt, A.L. (330) 109
Takayasu, M., see Mori, Y. (330) 195
Takizawa, S., Ozaki, H. and Karaki, H.
Interleukin-1β-induced, nitric oxide-dependent and -independent inhibition of vascular smooth muscle contraction (330) 143
Tanabe, Y., see Masumoto, N. (330) 55
Taniguchi, Y., Yokoyama, K., Inui, K., Deguchi, Y., Furukawa, K. and Noda, K.
Inhibition of brain cyclooxygenase-2 activity and the antipyretic action of nimesulide (330) 221
Tighilet, B. and Lacour, M.
Histamine immunoreactivity changes in vestibular-lesioned and histaminergic-treated cats (330) 65

Uchino, M., see Masumoto, N. (330) 55

Velasco, C., see Morán, A. (330) 205
Villani, G., see Daniele, E. (330) 247
Vožeh, F., see Caddy, K.W.T. (330) 139

Walland, A., Palluk, R., Burkard, S. and Hammer, R.
Compensation of muscarinic bronchial effects of talsaclidine by concomitant sympathetic activation in guinea pigs (330) 213
Welz, A., see Reithmann, C. (330) 79
Werdan, K., see Reithmann, C. (330) 79
Worgall, S., see Hänze, J. (330) 87

Yasharel, R., see Mukherjee, S.K. (330) 27
Yokoyama, K., see Taniguchi, Y. (330) 221
Yoshida, J., see Mori, Y. (330) 195

Zajac, J.-M., see Dupouy, V. (330) 129